L Number	Hits	Search Text	DB	Time stamp
1	8425	(438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:43
2	14	EWS near3 exposure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:57
3	1	20040117056.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:00
5	4424	(generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:58
4	31	(format$4 near4 inform$3) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:58
6	339	((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:27
8	1	20040117056.pn. and output$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:29
9	1	20040117056.pn. and edit$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:04
10	1172	((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:11
11	21	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) and (((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:33
14	2	("5991528" | "6038486").PN.	USPAT	2004/07/08 13:40
15	7	("5673198" | "5710700" | "5754826" | "5777876" | "5787190" | "5838951" | "5870308").PN.	USPAT	2004/07/08 13:44
16	7	("4915565" | "5172053" | "5360747" | "5390131" | "5511005" | "5532499" | "5585737").PN.	USPAT	2004/07/08 13:46

C:\APPS\EAST\Workspaces\10728817.wsp

17	3	(((("5991528" | "6038486").PN.) or (("5673198" | "5710700" | "5754826" | "5777876" | "5787190" | "5838951" | "5870308").PN.) or (("4915565" | "5172053" | "5360747" | "5390131" | "5511005" | "5532499" | "5585737").PN.)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:58
18	104	(((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) with control$4) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:42
19	104	(((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) with control$4) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 16:55
22	1	20040117056.pn. and (shot$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:12
23	1430	(shot near2 (layout or layingout or laying-out or arrangement or map$4 or sample))	USPAT; US-PGPUB	2004/07/08 16:56
24	39	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) and ((shot near2 (layout or layingout or laying-out or arrangement or map$4 or sample)))	USPAT; US-PGPUB	2004/07/08 17:40
25	141	((acquir$3 or reciev$3 or receiv$3 or recep$4 or transfer$4 or transmit$4 or communicat$4 or send$3) with (control$4 and (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format))) same ((exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB	2004/07/08 17:51
27	15123	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:53
28	9	(((acquir$3 or reciev$3 or receiv$3 or recep$4 or transfer$4 or transmit$4 or communicat$4 or send$3) with (control$4 and (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format))) same ((exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:44
29	88	716/$.ccls. and 345/$.ccls.	USPAT; US-PGPUB	2004/07/08 17:50
30	109	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with shot) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 17:56

31	4	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with shot) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:57
32	966	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with map$4) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:16
33	35	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with map$4) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:19
34	1	20040117056.pn. and control$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:13
35	753	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (map$4 or tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:19
36	20738	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:20
38	27259	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot or size or number or amount or position$3)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:39

39	173	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:22
37	27	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (map$4 or tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:22
40	202	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot or size or number or amount or position$3)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:35
41	76907	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot or size or number or amount or position$3 or pattern))	USPAT; US-PGPUB	2004/07/08 18:36
42	560	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3) with (tilt or exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line or job or parameter or control$3 or align$4 or focus or layout or shot or size or number or amount or position$3 or pattern)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:37
43	75458	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB	2004/07/08 18:58

C:\APPS\EAST\Workspaces\10728817.wsp

44	12654	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3)	USPAT; US-PGPUB	2004/07/08 18:40
45	111	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map) with (exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)) with (load$3 or download$3 or transfer$3 or send$3 or up-load$3 or upload$3))	USPAT; US-PGPUB	2004/07/08 18:40
46	1829	((job or recipe or process$3) near2 (file or parameters or instruction or command)) with (convert$3 or transform$6 or conversion) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map)	USPAT; US-PGPUB	2004/07/08 18:49
47	26	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((job or recipe or process$3) near2 (file or parameters or instruction or command)) with (convert$3 or transform$6 or conversion) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map))	USPAT; US-PGPUB	2004/07/08 18:57
48	190181	(model$4 or simulat$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter)	USPAT; US-PGPUB	2004/07/08 18:56
49	16467	(model$4 or simulat$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter) with (convert$3 or transform$6 or conversion or translat$4)	USPAT; US-PGPUB	2004/07/08 19:40
50	339	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and ((model$4 or simulat$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter) with (convert$3 or transform$6 or conversion or translat$4))	USPAT; US-PGPUB	2004/07/08 19:14
51	161	((((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and ((model$4 or simulat$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter) with (convert$3 or transform$6 or conversion or translat$4))) and (exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 19:09
52	600	((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) near2 (acquir$3 or upload$3 or download$3 or send$3 or transmit$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map$4)	USPAT; US-PGPUB	2004/07/08 19:15
53	88512	(exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)	USPAT; US-PGPUB	2004/07/08 21:33

54	6	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) near2 (acquir$3 or upload$3 or download$3 or send$3 or transmit$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map$4))	USPAT; US-PGPUB	2004/07/08 19:16
55	19590	((tool$3 or equipment or system or apparatus or fab or stepper) near2 (acquir$3 or upload$3 or download$3 or send$3 or transmit$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map$4)	USPAT; US-PGPUB	2004/07/08 19:16
56	1571	((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and (((tool$3 or equipment or system or apparatus or fab or stepper) near2 (acquir$3 or upload$3 or download$3 or send$3 or transmit$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map$4))	USPAT; US-PGPUB	2004/07/08 19:16
57	28	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and (((tool$3 or equipment or system or apparatus or fab or stepper) near2 (acquir$3 or upload$3 or download$3 or send$3 or transmit$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag$3 or map$4)))	USPAT; US-PGPUB	2004/07/08 19:43
58	10798	(exposure or shot or layout or pattern) near3 (inspect$3 or verification or verif$4 or confirm$6)	USPAT; US-PGPUB	2004/07/08 19:27
59	996	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and ((exposure or shot or layout or pattern) near3 (inspect$3 or verification or verif$4 or confirm$6))	USPAT; US-PGPUB	2004/07/08 19:27
60	294	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) and ((exposure or shot or layout or pattern) near3 (inspect$3 or verification or verif$4 or confirm$6))	USPAT; US-PGPUB	2004/07/08 19:27
61	233322	(GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)	USPAT; US-PGPUB	2004/07/08 19:43
62	51838	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.	USPAT; US-PGPUB	2004/07/08 19:46
63	405	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.)	USPAT; US-PGPUB	2004/07/08 19:43
64	6688	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and (345/$.ccls.)	USPAT; US-PGPUB	2004/07/08 19:45

65	30055	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) same (shot or layout or pattern or map$4 or arrangement))	USPAT; US-PGPUB	2004/07/08 19:48
66	1222	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (shot))	USPAT; US-PGPUB	2004/07/08 19:48
67	152	((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and (345/$.ccls.)) and ((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (shot)))	USPAT; US-PGPUB	2004/07/08 19:49
68	16	(((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and (345/$.ccls.)) and ((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (shot)))) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 19:51
69	6444	((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) same (shot or layout or pattern or map$4 or arrangement))) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 19:51
70	76	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) with (convert$3 or transform$6 or conversion or translat$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3) same (shot or layout or pattern or map$4 or arrangement))) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line))	USPAT; US-PGPUB	2004/07/08 20:10
71	5	("5375069" | "5499331" | "5712794" | "5787006" | "5828580").PN.	USPAT	2004/07/08 20:04
72	68	((parameter near2 file) or recipe) near2 (exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6)	USPAT; US-PGPUB	2004/07/08 21:21

73	86468	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3)	USPAT; US-PGPUB	2004/07/08 21:24
74	13042	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3))	USPAT; US-PGPUB	2004/07/08 21:33
75	120144	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3))	USPAT; US-PGPUB	2004/07/08 21:32
76	16316	((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3)))	USPAT; US-PGPUB	2004/07/08 21:27
77	21789	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3))) or (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3))))	USPAT; US-PGPUB	2004/07/08 21:27
78	262	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and ((((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3))) or (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3)))))	USPAT; US-PGPUB	2004/07/08 21:34

79	9	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3))) or (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or imag$3 or appearance or display$3)))))) and XML	USPAT; US-PGPUB	2004/07/08 21:36
80	49669	(tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3))	USPAT; US-PGPUB	2004/07/08 21:33
81	1172	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3))	USPAT; US-PGPUB	2004/07/08 23:03
82	1906	((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3)))	USPAT; US-PGPUB	2004/07/08 21:33
83	2742	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3))) or (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3))))	USPAT; US-PGPUB	2004/07/08 21:34

84	83	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3))) or (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3)))))	USPAT; US-PGPUB	2004/07/08 21:34
85	5	((((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and (((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3))) or (((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper)) and ((tool$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance or display$3)))))) and XML	USPAT; US-PGPUB	2004/07/08 21:37
86	2	("20020078429" "6331369").pn.	USPAT; US-PGPUB	2004/07/08 21:38
87	231	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or stepper or scanner) near2 ((generat$3 or creat$3 or produc$3 or construct$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:05
88	268	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or stepper or scanner) near2 ((generat$3 or creat$3 or produc$3 or construct$3 or upload$3 or transfer$4 or send$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:13
89	9	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or stepper or scanner) near2 ((generat$3 or creat$3 or produc$3 or construct$3 or upload$3 or transfer$4 or send$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.))	USPAT; US-PGPUB	2004/07/08 23:11
90	6582	(tool$3 or equipment or system) near2 ((generat$3 or creat$3 or produc$3 or construct$3 or upload$3 or transfer$4 or send$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:11

91	7851	(tool$3 or equipment or system or apparatus or fab or stepper) near2 ((generat$3 or creat$3 or produc$3 or construct$3 or upload$3 or transfer$4 or send$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:11
92	257	((tool$3 or equipment or system or apparatus or fab or stepper) near2 ((generat$3 or creat$3 or produc$3 or construct$3 or upload$3 or transfer$4 or send$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))) and ((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper))	USPAT; US-PGPUB	2004/07/08 23:11
93	9	(((tool$3 or equipment or system or apparatus or fab or stepper) near2 ((generat$3 or creat$3 or produc$3 or construct$3 or upload$3 or transfer$4 or send$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance))) and ((exposure or hoto-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or g-line or i-line) with (tool$3 or equipment or system or apparatus or fab or stepper))) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.))	USPAT; US-PGPUB	2004/07/08 23:11
94	87	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or stepper or scanner) near2 output) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or appearance)	USPAT; US-PGPUB	2004/07/08 23:23
95	621951	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or scanner or tool$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file or type or kind)	USPAT; US-PGPUB	2004/07/08 23:23
96	4066	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or scanner or tool$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file or type or kind)) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.))	USPAT; US-PGPUB	2004/07/08 23:23
97	2351	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or scanner or tool$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file or type or kind)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB	2004/07/08 23:23
98	84284	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or scanner or tool$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file)	USPAT; US-PGPUB	2004/07/08 23:23
99	809	((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or scanner or tool$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB	2004/07/08 23:23

100	314	(exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or stepper or scanner) and (((exposure or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6 or ebeam or e-beam or EBL or lithograph$6 or scanner or tool$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.))	USPAT; US-PGPUB	2004/07/08 23:42
101	1	(photo-lithograph$6 or photolithograph$6 or stepper) adj3 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:45
102	1	(photo-lithograph$6 or photolithograph$6 or stepper or lithography) adj4 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:45
103	5	(photo-lithograph$6 or photolithograph$6 or stepper or lithograph$6) adj4 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:56
104	149	(scanner) adj4 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:49
105	0	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/$.ccls.)) and ((scanner) adj4 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or (file near2 (type or kind)))))	USPAT; US-PGPUB	2004/07/08 23:49
106	68	(photo-lithograph$6 or photolithograph$6 or stepper or lithograph$6 or scanner) adj4 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (map$4))	USPAT; US-PGPUB	2004/07/09 00:00
107	88	((photo-lithograph$6 or photolithograph$6 or stepper or lithograph$6 or scanner or tool$3) adj4 ((output$3 or generat$3 or transmit$3 or send$3 or communicat$3 or upload$3 or download$3 or load$3) near3 (map$4 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph$6 or (file near2 (type or kind))))).clm.	USPAT; US-PGPUB	2004/07/09 00:04
108	1	6711731.pn.	USPAT; US-PGPUB	2004/07/09 00:04
117	19	(US-6320646-$ or US-6108499-$ or US-5586039-$ or US-6314548-$ or US-6629002-$ or US-6038486-$ or US-6128403-$ or US-5838951-$ or US-6484195-$ or US-6067571-$ or US-6099582-$ or US-6142660-$ or US-6711731-$).did. or (US-20040117056-$ or US-20030061596-$ or US-20040015808-$ or US-20030025732-$ or US-20020095644-$).did. or (JP-09199385-$).did.	USPAT; US-PGPUB; JPO	2004/07/09 01:17
118	6	((US-6320646-$ or US-6108499-$ or US-5586039-$ or US-6314548-$ or US-6629002-$ or US-6038486-$ or US-6128403-$ or US-5838951-$ or US-6484195-$ or US-6067571-$ or US-6099582-$ or US-6142660-$ or US-6711731-$).did. or (US-20040117056-$ or US-20030061596-$ or US-20040015808-$ or US-20030025732-$ or US-20020095644-$).did. or (JP-09199385-$).did.) and shot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 01:18

C:\APPS\EAST\Workspaces\10728817.wsp

-	2	4870288.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:46
-	5599	700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:46
-	2514	438/5,7,14,16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:47
-	7985	438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:49
-	514	716/21.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:49
-	835	format$4 near4 inform$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:55
-	1	20040117056.pn. and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:25
-	1396215	(generat$3 or creat$3 or produc$3 or compos$3 or form$3 or construct$3) with (imag$4 or format or GUI or user-interface or interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:34
-	1199341	(generat$3 or creat$3 or produc$3 or form$3 or construct$3) with (imag$4 or format or GUI or user-interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:57
-	762828	(generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (imag$4 or format or GUI or user-interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42
-	128712	((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (imag$4 or format or GUI or user-interface or userinterface)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42
-	559	(((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (imag$4 or format or GUI or user-interface or userinterface)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42

C:\APPS\EAST\Workspaces\10728817.wsp

| - | 6 | (((generat$3 or creat$3 or produc$3 or form$3 or construct$3) near3 (GUI or user-interface or userinterface)) and (exposure or photo-chemical$4 or photochemical$4 or (extreme near2 UV) or photo-lithograph$6 or photolithograph$6)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 22:42 |